



13110 W Dodge RD Suite B
T - 402-408-0015 - FX - 402-408-0020
www.jkohllrx.com

Patient Name: _____ Allergies: _____ Date: _____

Address: _____ Phone #: _____ DOB: _____

_____ Tadalafil 10mg / Oxytocin 50iu _____ Tadalafil 12mg / Sildenafil 50mg _____ Tadalafil 10mg / Apomorphine 3mg

- #10 Troche
- Dissolve 1 troche under tongue or between cheek/gum
- Take 30–60 minutes before activity

_____ Bremelanotide (PT141) Nasal Spray 5ml 5mg/ml or 10mg/ml (circle one)

- 2 sprays per Nostril as needed 45 minutes before anticipated sexual activity.

_____ Gonadorelin 300mcg or 500mcg (Circle One) troche #30

- Place troche **under tongue or between cheek/gum** Allow to **fully dissolve**
- Avoid eating/drinking for **~15–30 minutes**
- **Once daily at bedtime**
- Prevention of testicular atrophy and maintaining testicular function during TRT

_____ ENCLOMIPHENE 12.5mg - 25mg (Circle one) #30 #60 #90

- Take 1 capsule in the am
- A potent compound that helps stimulate the body's natural testosterone production by targeting and balancing key hormonal pathways.

Refills: 1 2 3 PRN

M.D. Signature: _____ Telephone: _____



13110 W Dodge RD Suite B
T - 402-408-0015 - FX - 402-408-0020
www.jkohllrx.com

Compounding Pharmacy

Patient Name: _____ Allergies: _____ Date: _____

Address: _____ Phone #: _____ DOB: _____

Transdermal Arousal Cream

____ Arginine 4% / Oxytocin 500 IU / Sildenafil 4% 15gm

____ Arginine 4% / Oxytocin 500 IU / Sildenafil 4% / Testosterone 0.25% - 15gm

Sig: Apply a pea-sized amount (0.5–1 mL) to the clitoral or vulvar area 15–30 minutes before sexual activity.

Refills: 1 2 3 PRN

M.D. Signature: _____ Telephone: _____